

Trail-Lite

BY R-VISION

**The Nation's #1
Selling Ultra-Lite!**

**Trail-Lite
Travel Trailers**



Heated & Enclosed Underbelly



There's never been quite as much room in a lightweight towable as you are sure to find in a Trail-Lite travel trailer from R-Vision. The electric slide-room provides increased spaciousness with the touch of a button, while the extra-roomy dinette features elegant arched backs and 5" reversible cushions.




Model 8271S Shown


Lightweight Living at its Best

The Trail-Lite lightweight travel trailer series from R-Vision was designed with your family in mind. Even the smallest Trail-Lite models feature kitchens that offer loads of work space to prepare any meal, while brushed metal appliances add a touch of class. There's a full compliment of overhead and base cabinet storage throughout the coach, including overhead cabinets in the slide-room.


Our unique designer window treatments feature wood inserts, side lambrequins, and brushed metal mini-blinds for a look that is unmatched in this price range. One of our hidden values is the fact that we install linoleum the entire length of the floor, even under the carpeted areas of the coach, providing the floor with long lasting protection and durability.



Model 8271S Shown



Utility Storage Door



Trail-Lite uses modern race car technology to bring you towing ease and stability. Trail-Lite's enclosed chassis is clear of the exposed holding tanks, crossmembers and outriggers that create turbulence when the trailer is towed. Airflow is smooth and drag is greatly reduced. Towing a Trail-Lite is a breeze!

Floor Plans



8211



8263S




8304S



8212



8270S



8305S



8230



8271S




8306S



8240



8283S



8307S

▲ Utility Storage Door

▼ Pass-Thru Storage

	8211	8212	8230	8240	8263S	8270S	8271S	8283S	8304S	8305S	8306S	8307S
Length	21'7"	21'8"	23'7"	24'7"	26'8"	28'4"	28'5"	28'5"	30'9"	30'9"	30'9"	30'9"
Width (w/o Awning)	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"
Height	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"
Awning Length	13'	13'	15'	17'	18'	18'	19'	18'	19'	19'	20'	20'
*Hitch Dry Wt. (Appr.)	552	513	266	220	271	552	387	499	468	553	591	389
*Axle Dry Wt. (Appr.)	2778	2864	3256	3480	3716	3888	4128	3926	4013	4322	4190	4332
Total Dry Wt.	3330	3377	3522	3700	3987	4440	4515	4425	4481	4875	4781	4721
Load Cap.	2822	2736	2344	2120	1884	1712	1472	1674	1587	1278	1410	1268
GVWR	6152	6113	5866	5820	5871	6152	5987	6099	6068	6153	6191	5989
Tire Size	205/75R14	205/75R14	205/75R14	205/75R14	205/75R14	205/75R14	205/75R14	205/75R14	205/75R14	205/75R14	205/75R14	205/75R14
Fresh Water Tank Cap.	30	30	30	30	30	30	30	30	30	30	30	30
Grey Water Cap.	30	30	30	30	30	30	30	30	30	30	30	30
Black Water Cap.	30	30	30	30	30	30	30	30	30	30	30	30

*Weights are approximate and based on standard features, optional equipment not included.

Specifications



Appliances/Equipment

- Dometic Flush Mount Refrig.
- 3 Burner Range Top
- Microwave Ready
- Power Range Hood w/Light
- Six Gallon Water Heater DSI
- Furnace 30,000 BTU
- Air Conditioner Ready
- Water Heater Bypass Kit
- Demand Water Pump
- Laminated Galley Top w/Double Stainless Sink and Euro Style Faucet
- Copper LP Gas Lines
- P.E.X. Water Lines
- Monitor Panel

Bath

- ABS Tub
- Shower Curtain w/Valance
- Thetford Toilet
- Medicine Cabinet w/Mirror
- Towel Bar, Toothbrush Holder and Tissue Holder
- Power Roof Vent
- Light w/Wall Switch

Electrical

- Patio Light w/Amber Lens
- Ceiling Lights w/Wall Switches
- 120 Volt GFI Protected Circuits
- 120 Volt Fuse Panel
- Outside 120 Volt Recept
- 30 Amp, 28' Power Cord (Detachable)
- 55 Amp, Whisper Quiet Converter w/Charger
- Battery Box w/Positive Ventilation
- Pre-Wired for Air Conditioner
- Pre-Wired for Microwave

Exterior

- 2 Year Structural Warranty*
- Rubber Roof w/12 Year Warranty*
- Fiberglass Skin w/2 Year Warranty*
- Powder Coated Steel Chassis
- Tinted Jalousie Windows
- Aerodynamic Front Profile
- Flush Mount Front Window/Awning
- 26" Entry Door(s) w/Radius Corners, Window, Screen Door, and Flush Mount Latch
- Locking Baggage Doors
- Self-Storing Step(s) (Powder Coated)
- Laminated Large Front Storage Compartment
- Enclosed 30# LP Tanks
- 2-5/16" Coupler
- Break-away Switch
- Enclosed, Heated Underbelly
- Sewer Hose Compartment (Behind License Plate Bracket)

Interior

- Panoramic Galley Window
- Reversible Dinette Cushions
- Valance, Tiebacks, Sheers, Designer Drapes
- Mini Blind at Galley
- No-wax Vinyl Flooring
- "Euro Look" Overhead Cabinets w/Under Cabinet Shelves
- Maple Mortise and Tenon Cabinet Doors w/Struts
- Hidden Plumbing and Wiring
- High Pressure, Laminated Countertops
- Bedspread (w/Double or Queen Bed) Quilted Pillow Top
- Light/Air Roof Vent(s)
- Fire Extinguisher, Smoke Detector, LP Detector

Running Gear

- 14" Radial Trailer Tires
- White Spoke Wheels w/10" Electric Brakes
- Independent Torsion E-Z Lube Hubs Suspension System, Rubber Ride
- Seamless "Roto-Cast" Wheel Wells
- Welded, Box Channel, Tubular Steel Frame

Super Lite Weight

- Enclosed Chassis/Undercarriage
- Aerodynamic Front Profile
- Laminated Aluminum Frame Construction
- Thick Wall Construction (2")
- Fiberglass Exterior Skin
- LAMINATED Enclosed LP Bottle Area
- Extra Low Center of Gravity
- Works in the Basement
- Rubber Roof
- Box Channel, Steel Chassis
- TINTED Jalousie Windows
- Ducted Air Conditioning (24' and larger)

General Warranty Information*

• Rubber Roof	12 Years
• Fiberglass Skin	2 Years
• Clean Bond Painted Chassis	1 Year
• Structure	2 Years
• Dometic Appliances	3 Years
• Atwood Appliances	2 Years
• Liftco Slideout Mechanism	5 Years
• Suspension System	5 Years
• General Camper Coverage	1 Year

*Refer to specific written warranty statement

Towing Guide

Listed below are tow ratings that are the highest available for the respective 2002 models. Certain optional equipment may be required and other restrictions may apply. Check with your automotive dealer for exact specifications.

VEHICLE	MAX ENGINE	TOW LIMIT (LBS.)
Acura		
MDX	3.5 V-6	4500
RL	3.5 V-6	2000
AM General		
Hummer (2-passenger)	Diesel	8510
Hummer (2-passenger)	Turbodiesel	8440
Buick		
Rendezvous	3.4 V-6	3500
BMW		
X5	4.6 V-8	6000
X5	3.0 I-6	6000
Cadillac		
Escalade AWD	6.0 V-8	8200
Chevrolet/GMC		
Astro/Safari (AWD)	4.3 V-6	5100
Astro/Safari (RWD)	4.3 V-6	5800
Blazer/Jimmy (2WD)	4.3 V-6	5500
Express/Savana/G1500	4.3 V-6	5200
Express/Savana/G1500	5.0 V-8	5600
Express/Savana/G1500	5.7 V-8	6100
Express/Savana/G2500	5.0 V-8	5400
Express/Savana/G2500/3500	5.7 V-8	7900
K1500 Reg./Ext. Cab. (4WD)	4.8 V-6	8000
S Series/Sonoma	4.3 V-6	6000
Silverado/Sierra/C/K 1500	4.3 V-6	5200
Chrysler		
Town & Country	3.3, 3.8 V-6	3800
Dodge		
Caravan	3.3, 3.8 V-6	3800
Caravan	3.8 V-6	3500
Dakota (2WD) Reg. Cab.	2.5 I-4	2200
Dakota (2WD) Reg. Cab.	3.9 V-6	5400
Dakota (2WD) Reg. Cab.	4.7 V-8	6650
Dakota (2WD) Club Cab.	3.9 V-6	5150
Dakota (2WD) Club Cab.	4.7 V-8	6450
Dakota (4WD) Reg. Cab.	3.9 V-6	5100
Dakota (4WD) Reg. Cab.	4.7 V-8	6400
Dakota (4WD) Club Cab.	3.9 V-6	4900

Dakota (4WD) Club Cab.	4.7 V-8	6150
Durango (4WD)	4.7 V-8	5700
Durango (4WD)	5.9 V-8	7300
Ram (2WD) 1500 All Cab.	4.7 V-8	7400
Ram (2WD) 1500 All Cab.	5.9 V-8	8350
Ram Wagon B1500	3.9 V-6	4050
Ram Wagon B2500	5.2 V-8	7700
Ford		
Econoline Van	4.2 V-6	5000
Econoline Van	4.6 V-8	6400
Econoline Van	5.4 V-8	6800
Expedition (4WD)	4.6 V-8	6000
Expedition (2WD)	5.4 V-8	8200
Expedition (4WD)	5.4 V-8	7900
Explorer (2WD)	4.0 V-6	5940
Explorer (4WD)	4.0 V-6	5500
F-150 Reg. Cab. (2WD)	4.2 V-6	6500
F-150 Reg. Cab. (2WD)	4.6 V-8	6500
Ranger Reg. Cab. (2WD)	2.3 I-4	2240
Ranger Reg. Cab. (4WD)	3.0 V-6	2360
Ranger Reg. Cab. (2WD)	4.0 V-6	3560
Windstar	3.8 V-6	3500
Honda		
Passport	3.2 V-6	4500
Odyssey	3.5 V-6	3500
Hyundai		
Santa Fe (2WD)	2.7 V-6	2700
Santa Fe (4WD)	2.7 V-6	2200
Isuzu		
Rodeo/Rodeo Sport	2.2, 2.6 I-4	2500
Rodeo	3.2 V-6	4500
Trooper	3.5 V-6	5000
Axiom	3.5 V-6	4500
Jeep		
Grand Cherokee	4.0 I-6	5000
Grand Cherokee	4.7 V-8	6500
Liberty	2.4 I-4	2000
Liberty	3.7 V-6	5000
Wrangler	4.0 I-6	2000
Kia		
Sportage	2.0 I-4	2000

Land Rover			
Discovery	All	5500	
Range Rover	All	6500	
Lexus			
RX300	3.0 V-6	3500	
LX470	4.7 V-8	6500	
Lincoln			
Blackwood	5.4 V-8	8700	
Navigator	5.4 V-8	8800	
Mazda			
B3000	3.0 V-6	4000	
B3000 (4WD)	3.0 V-6	4580	
B4000	4.0 V-6	5900	
B4000 (4WD)	4.0 V-6	5700	
Tribute	3.0 V-6	3500	
Mercedes-Benz			
G-500	5.0 V-8	7000	
ML 320	3.2 V-6	5000	
ML 430	4.3 V-8	5000	
MLSAMG	5.5 V-8	5000	
Mercury			
Mountaineer	4.0 V-6	5460	
Mountaineer	4.6 V-8	7300	
Villager	3.3 V-6	3500	
Mitsubishi			
Montero Limited, XLS	3.5 V-6	5000	
Montero Sport ES, LS	3.0 V-6	5000	
Montero Sport XLS, Limited	3.5 V-6	5000	
Nissan			
Pathfinder	3.5 V-6	5000	
Frontier	2.4 I-4	3500	
Xterra	3.3 V-6	5000	
Quest	3.3 V-6	3500	
Oldsmobile			
Bravada	4.2 I-6	6300	
Silhouette	3.4 V-6	3500	
Pontiac			
Aztec	3.4 V-6	3500	
Montana	3.4 V-6	3500	

Subaru			
Legacy/Outback/Forester	2.5 SOHC I-4	2000	
Toyota			
4 Runner	3.4 V-6	5000	
Land Cruiser	4.7 V-8	6500	
Sienna	3.0 V-6	5000	
Tacoma	3.4 V-6	5000	
Tundra	4.7 V-8	7200	

OPTIONS	APPROX. WT. (LBS.)
Air Conditioning, 13,000 BTU	104
AM/FM CD Player	4
Awning, A & E	40-60
Swivel Rocker Chair	35
Microwave	30
Oven	30
Spare Tire & Wheel Stabilizer Jacks (Four)	35
TV Antenna/Cable/Satellite Ready	24
Roof Ladder	6
Outside Grill	5
Outside Shower	15
Outside Sliding Drawer	3
Sink Cover	36
Stove Cover	1
Stove Cover	1
Tub Surround	10
Double Entry Step	7
Chrome Trim Rings w/Cap	3
Raised Panel Overhead Door	5
Raised Panel Refer Door	3
Fan-Tastic Fan	15
2 Bar Stools	20

R-Vision, Inc.

2666 S. Country Club Drive
Warsaw, IN 46580
www.trail-lite.com

As R-Vision constantly strives to improve our product, all specifications listed in this informative brochure are subject to change without notice or obligation. Photos may show optional equipment which is not included in the purchase price of the unit. Test drive and review a current model on your dealer's lot today.

©2003 R-Vision, Inc.

R-100-050

Your Dealer